

Edge of Arlington Saw & Tool, Inc.

124 South Collins

Arlington, TX 76010

Phone:817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171

Email: info@eoasaw.com

Website: www.eoasaw.com



Techniks ER Precision Inch Collets - Series ER40


Thank you for shopping with us!

EOASAW 20% off SALE on Techniks ER Collets!

- Runout (T.I.R.) only 0.0002"
- Collapse range: 0.039"
- Collet sets available
- Also available in metric sizes

Our ER collets are the best in the industry. They are made from high-carbon bearing steel that is heat-treated for improved flexibility and longer life. Each collet is precisely ground and honed using a swiss technique, then individually inspected and tested for quality. Compatible with DR, RD, ESX, AR, & BR series collets. For best rigidity

Use the table (below) for selecting your replacement collets.
ER collets all have unique length and diameter measurements.



| ER Size | L | D |
|---------|----------------|---------------|
| ER8 | 13mm (.51") | 8.5mm (.33") |
| ER11 | 18mm (.708") | 11.5mm (.45") |
| ER16 | 27.5mm (1.08") | 17mm (.67") |
| ER20 | 31.5mm (1.24") | 21mm (.83") |
| ER25 | 34mm (1.34") | 26mm (1.02") |
| ER32 | 40mm (1.57") | 33mm (1.3") |
| ER40 | 46mm (1.81") | 41mm (1.61") |
| ER50 | 60 mm (2.36") | 52mm (2.05") |

and cutter life use PowerCOAT nuts.

| Item # | Manufacturer | Range | Series | Shank | Price |
|-------------|--------------|----------------|--------|----------|----------------|
| 04240-5/32 | Techniks | 0.117 to 0.156 | ER 40 | 5/32 in | \$40.00 |
| 04240-7/32 | Techniks | 0.179 to 0.218 | ER 40 | 7/32 in | \$40.00 |
| 04240-9/32 | Techniks | 0.242 to 0.281 | ER 40 | 9/32 in | \$40.00 |
| 04240-11/32 | Techniks | 0.304 to 0.343 | ER 40 | 11/32 in | \$40.00 |
| 04240-13/32 | Techniks | 0.367 to 0.406 | ER 40 | 13/32 in | \$40.00 |
| 04240-15/32 | Techniks | 0.429 to 0.468 | ER 40 | 15/32 in | \$40.00 |
| 04240-17/32 | Techniks | 0.492 to 0.531 | ER 40 | 17/32 in | \$40.00 |
| 04240-19/32 | Techniks | 0.554 to 0.593 | ER 40 | 19/32 in | \$40.00 |
| 04240-21/32 | Techniks | 0.617 to 0.656 | ER 40 | 21/32 in | \$40.00 |
| 04240-23/32 | Techniks | 0.679 to 0.718 | ER 40 | 23/32 in | \$40.00 |
| 04240-1 | Techniks | 0.961 to 1.00 | ER 40 | 1 in | \$40.00 |
| 04240-25/32 | Techniks | 0.742 to 0.781 | ER 40 | 25/32 in | \$40.00 |
| 04240-13/16 | Techniks | 0.773 to 0.812 | ER 40 | 13/16 in | \$40.00 |
| 04240-27/32 | Techniks | 0.807 to 0.843 | ER 40 | 27/32 in | \$40.00 |
| 04240-29/32 | Techniks | 0.867 to 0.906 | ER 40 | 29/32 in | \$40.00 |
| 04240-15/16 | Techniks | 0.898 to 0.937 | ER 40 | 15/16 in | \$40.00 |
| 04240-31/32 | Techniks | 0.929 to 0.968 | ER 40 | 31/32 in | \$40.00 |
| 04240-1/8 | Techniks | 0.086 to 0.125 | ER 40 | 1/8 in | \$40.00 |
| 04240-3/16 | Techniks | 0.148 to 0.187 | ER 40 | 3/16 in | \$40.00 |
| 04240-1/4 | Techniks | 0.211 to 0.250 | ER 40 | 1/4 in | \$40.00 |
| 04240-5/16 | Techniks | 0.273 to 0.312 | ER 40 | 5/16 in | \$40.00 |
| 04240-3/8 | Techniks | 0.336 to 0.375 | ER 40 | 3/8 in | \$40.00 |
| 04240-7/16 | Techniks | 0.398 to 0.437 | ER 40 | 7/16 in | \$40.00 |

| | | | | | |
|---------------|----------|----------------|-------|----------|----------------|
| 04240-1/2 | Techniks | 0.461 to 0.500 | ER 40 | 1/2 in | \$40.00 |
| 04240-9/16 | Techniks | 0.523 to 0.562 | ER 40 | 9/16 in | \$40.00 |
| 04240-5/8 | Techniks | 0.586 to 0.625 | ER 40 | 5/8 in | \$40.00 |
| 04240 - 11/16 | Techniks | 0.648 to 0.687 | ER 40 | 11/16 in | \$40.00 |
| 04240-3/4 | Techniks | 0.711 to 0.750 | ER 40 | 3/4 in | \$40.00 |
| 04240-7/8 | Techniks | 0.836 to 0.875 | ER 40 | 7/8 in | \$40.00 |