

Edge of Arlington Saw & Tool, Inc.

124 South Collins

Arlington, TX 76010

Phone: 817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171

Email: info@eoasaw.com

Website: www.eoasaw.com




Amana Tool CNC Double Edge Folding V & Rectangular Groove for Shaping Aluminum Composite Material Carbide-Tipped Router Bits - 2 Flutes

Thank you for shopping with us! Amana Tool CNC Double Edge Folding V & Rectangular Groove for Shaping Aluminum Composite Material Carbide-Tipped Router Bits - 2 Flutes - are widely used as cladding for many diverse applications such as office buildings, hospitals, convention centers, airports, hotels. Routing V-shaped & Rectangular grooves, whereby the aluminum cover and a part of the polyethylene core is removed, allows folding/creasing the remaining material by hand. Designed for cutting and scoring aluminum sandwich materials including:

- Aluminum, Clay, Zinc & Wood Composite Panels
- Aluminum Composite Materials (ACM)
- Aluminum Composite Panel (ACP)*
- Aluminum 5052
- ALPOLIC® Copper Composite Material (CCM)
- Alucobond®
- Alupanel®
- Dibond®
- Durabond**
- e-panel™
- Etalbond®
- Phenolics
- Plastic/Acrylic
- Plexiglas®
- Titanium Composite Material (TCM)
- Wood

*Aluminum Composite Panel (ACP) is a type of ACM flat panel that consists of two thin aluminum sheets bonded to a non-aluminum core. ACPs are frequently used for external cladding or facades of buildings, insulation, and signage. **Durabond is a polyethylene core with 0.3mm colored aluminum sheet on either side, pre-finished requiring no decoration.



Item #	Diameter	Cut Height, Length, or Width	Diameter (D1)	Length	Manufacturer	Note	Overall Length	Shank	Type	Angle	Price
45798	23/32 in	1/2 in	0.080 in		Amana Tool	--	2 1/4 in	1/4 in	V	135 deg / 22.5 deg (a1)	\$72.45
45792	1/2 in	3/8 in	0.090 in		Amana Tool	--	2 in	1/4 in	V	90 deg / 45 deg (a1)	\$47.70
45794	1/2 in	3/8 in	0.090 in		Amana Tool	--	2 in	1/2 in	V	90 deg / 45 deg (a1)	\$47.70
45795	1/2 in	3/8 in	0.090 in		Amana Tool	--	2 in	1/4 in	V	108 deg 36 deg (a1)	\$47.70
45797	1/2 in	3/8 in	0.090 in		Amana Tool	--	2 3/64 in	1/2 in	V	108 deg 36 deg (a1)	\$42.75
45799	5/8 in	7/16 in	--		Amana Tool	For rectangular grooves in thicker material like Alucore	2 in	1/4 in	Rectangular	--	\$37.31
45791	23/32 in	1/2 in	0.080 in		Amana Tool	--	2 1/4 in	1/2 in	V	135 deg / 22.5 deg (a1)	\$68.66
45793	3/4 in	5/16 in	0.118 in		Amana Tool	--	2 1/8 in	1/2 in	V	90 deg / 45 deg (a1)	\$68.29
45792-M	1/2 in	3/8 in	0.090 in		Amana Tool	--	2 in	6 mm	V	90 deg / 45 deg (a1)	\$47.70
45736	1/2 in	3/8 in	0.090 in		Amana Tool	--	3 in	1/2 in	V	108 deg 36 deg (a1)	\$44.81
45737	3/4 in	1/2 in	0.118 in		Amana Tool	--	2 1/2 in	1/2 in	V	155 deg / 12.5 deg (a1)	\$71.74