



Edge of Arlington Saw & Tool, Inc.

124 South Collins
 Arlington, TX 76010
 Phone:817-461-7171 • Fax: 817-795-6651
 Toll Free: 888-461-7171
 Email: info@eoasaw.com
 Website: www.eoasaw.com



Amana Tool Cove Carbide-Tipped 2-Flute w/Ball Bearing Guide

Thank you for shopping with us! The covetto form—produced by the cove bit—is one of the classic building blocks for many molding profiles. Use it alone or in combination with beads and fillets. Use the cove to detail the edges of casework, doors and drawers, posts and columns. The cove also makes up one-half of the rule joint used on drop-leaf tables; the other half is the corner-round. For best results with a large radius cutter, make a preliminary cut with a smaller radius bit or chamfer the workpiece to reduce the amount of stock to be removed in the finish pass. This will produce a smoother finish and prolong tool life. The largest diameter bits must be run at reduced speed. Use in a handheld or table-mounted router.



| Item # | Manufacturer | Diameter | Cut Height, Length, or Width | Flute | Bearing(s) | Knives | Note | Overall Length | Radius | RPM | Shank | Price |
|--------|--------------|----------|------------------------------|-------------|------------|--------|------|----------------|---------|-----|--------|----------------|
| 49092 | Amana Tool | 1/2 in | 1/2 in | 2 w/Bearing | 47704 | -- | -- | 2 in | 1/16 in | -- | 1/4 in | \$42.94 |

| | | | | | | | | | | | | |
|-------|------------|----------|----------|----------------|-------|----|----|----------|---------|---------------------------------------|--------|----------------|
| 49094 | Amana Tool | 5/8 in | 1/2 in | 2 w/Bearing | 47704 | -- | -- | 2 in | 1/8 in | -- | 1/4 in | \$43.13 |
| 49102 | Amana Tool | 3/4 in | 9/16 in | 2 w/Bearing | 47704 | -- | -- | 2 3/8 in | 3/16 in | -- | 1/2 in | \$33.04 |
| 49106 | Amana Tool | 7/8 in | 9/16 in | 2 w/Bearing | 47704 | -- | -- | 2 3/8 in | 1/4 in | -- | 1/2 in | \$31.24 |
| 49108 | Amana Tool | 1 in | 9/16 in | 2 w/Bearing | 47704 | -- | -- | 2 1/8 in | 5/16 in | -- | 1/4 in | \$42.94 |
| 49110 | Amana Tool | 1 in | 9/16 in | 2 w/Bearing | 47704 | -- | -- | 2 3/8 in | 5/16 in | -- | 1/2 in | \$41.78 |
| 49112 | Amana Tool | 1 1/8 in | 9/16 in | 2 w/Bearing | 47704 | -- | -- | 2 in | 3/8 in | -- | 1/4 in | \$38.85 |
| 49114 | Amana Tool | 1 1/8 in | 9/16 in | 2 w/Bearing | 47704 | -- | -- | 2 3/8 in | 3/8 in | -- | 1/2 in | \$35.85 |
| 49116 | Amana Tool | 1 3/8 in | 3/4 in | 2 w/Bearing | 47704 | -- | -- | 2 1/4 in | 1/2 in | -- | 1/4 in | \$44.85 |
| 49118 | Amana Tool | 1 3/8 in | 3/4 in | 2 w/Bearing | 47704 | -- | -- | 2 1/2 in | 1/2 in | -- | 1/2 in | \$46.28 |
| 49119 | Amana Tool | 1 5/8 in | 11/16 in | 2 w/Bearing | 47704 | -- | -- | 2 1/2 in | 5/8 in | Warning: Maximum RPM: 18,000 | 1/2 in | \$61.24 |

| | | | | | | | | | | | | |
|-------|------------|----------|----------|----------------|-------|----|---|----------|--------|----|--------|-----------------|
| 49121 | Amana Tool | 2 1/4 in | 1 1/4 in | 2 w/Bearing | 47706 | -- | Use in a table-mounted router. Not for use in a handheld router! Not guaranteed due to extreme diameter & radius. For best results, recommended to use a smaller radius bit or chamfer material prior to using large radius tools. Tool life will be prolonged and smoother finish will result. | 3 1/8 in | 7/8 in | -- | 1/2 in | \$111.04 |
|-------|------------|----------|----------|----------------|-------|----|---|----------|--------|----|--------|-----------------|

| | | | | | | | | | | | | | |
|----------|------------|----------|----------|----------------|-------|----|----------------------------|---|--------------|---------|---------------------------------------|--------|-----------------|
| 49122 | Amana Tool | 2 1/2 in | 1 1/4 in | 2 w/Bearing | 47706 | -- | | Use in a table-mounted router. Not for use in a handheld router! Not guaranteed due to extreme diameter & radius. For best results, recommended to use a smaller radius bit or chamfer material prior to using large radius tools. Tool life will be prolonged and smoother finish will result. | 3 in | 1 in | -- | 1/2 in | \$119.59 |
| 49104 | Amana Tool | 7/8 in | 9/16 in | 2 w/Bearing | 47704 | -- | -- | | 2 in | 1/4 in | -- | 1/4 in | \$35.85 |
| 49100 | Amana Tool | 3/4 in | 9/16 in | 2 w/Bearing | 47704 | -- | -- | | 2 in | 3/16 in | -- | 1/4 in | \$33.71 |
| 49120 | Amana Tool | 2 in | 1 in | 2 w/Bearing | 47706 | -- | -- | | 2 7/8 in | 3/4 in | Warning: Maximum RPM: 12,000 | 1/2 in | \$69.98 |
| RC-49104 | Amana Tool | 1 in | 1/2 in | | 47706 | | RCK 274 (2 required) | Replacement insert knives sold as a pair. | 2 1/16 in | 1/4 in | -- | 1/4 in | \$38.93 |

| | | | | | | | | | | | | |
|-------|------------|----------|---------|----------------|--|----|----|------------|--------|----|--------|----------------|
| 49130 | Amana Tool | 1 1/2 in | 9/16 in | 4 w/bearing | 47714 (3/4 in), 47712 (5/8 in), 47701 (1/2 in), 47751 (3/8 in) | -- | -- | 2 5/8 in | 3/8 in | -- | 1/2 in | \$67.76 |
| 49132 | Amana Tool | 1 3/4 in | 5/8 in | 4 w/bearing | 47714 (3/4 in), 47712 (5/8 in), 47701 (1/2 in), 47751 (3/8 in) | -- | -- | 2 13/16 in | 1/2 in | -- | 1/2 in | \$76.99 |