

Edge of Arlington Saw & Tool, Inc.

124 South Collins
 Arlington, TX 76010
 Phone:817-461-7171 • Fax: 817-795-6651
 Toll Free: 888-461-7171
 Email: info@eoasaw.com
 Website: www.eoasaw.com




Amana Tool CNC Spiral Ball Nose Solid Carbide Router Bits

Thank you for shopping with us! Amana Tool CNC Spiral Ball Nose Solid Carbide Router Bits used for carving, decorative doors, and sign manufacturing. Upcut/Downcut design leaves an excellent finish and expels chips quickly. **Excellent for**

Cutting:

- Soft/Hard Wood
- Aluminum/Non-Ferrous Materials
- MDF
- Soft/Hard Plastic
- Sign Foam

Recommended RPM: 20,000-21,000. Router collet reducer **RB-102** (1/4 to 1/8) available for 1/8 shank bits.



Item #	Manufacturer	Diameter	Cut Height, Length, or Width	Flute Geometry	Flute	Overall Length	Radius	RPM	Shank	Note	Price
--------	--------------	----------	------------------------------	----------------	-------	----------------	--------	-----	-------	------	-------

46375	Amana Tool	1/8 in	1/2 in	Upcut	2	2 in	1/16 in	Recommended RPM: 20,000-21,000	1/8 in	Router collet reducer RB-102 (1/4 to 1/8) available for 1/8 shank bits.	\$36.71
46369	Amana Tool	1/8 in	1/2 in	Upcut	2	2 in	1/16 in	Recommended RPM: 20,000-21,000	1/4 in		\$40.13
46374	Amana Tool	1/4 in	3/8 in	Upcut	4	2 1/2 in	1/8 in	Recommended RPM: 20,000-21,000	1/4 in		\$40.13
46376	Amana Tool	1/4 in	1 in	Upcut	2	2 1/2 in	1/8 in	Recommended RPM: 20,000-21,000	1/4 in		\$45.26
46476	Amana Tool	1/4 in	1 in	Downcut	2	2 1/2 in	1/8 in	Recommended RPM: 20,000-21,000	1/4 in		\$45.26
46378	Amana Tool	3/8 in	1 1/4 in	Upcut	2	3 in	3/16 in	Recommended RPM: 20,000-21,000	3/8 in		\$55.99
46380	Amana Tool	1/2 in	1 1/4 in	Upcut	2	3 in	1/4 in	Recommended RPM: 20,000-21,000	1/2 in		\$85.43
46477	Amana Tool	1/2 in	1 1/4 in	Downcut	2	3 in	1/4 in	Recommended RPM: 20,000-21,000	1/2 in		\$85.43
46384	Amana Tool	1/2 in	2 1/8 in	Upcut	6	4 in	1/4 in	Recommended RPM: 20,000-21,000	1/2 in		\$110.21
46386	Amana Tool	5/8 in	2 1/8 in	Upcut	2	4 in	5/16 in	Warning Max RPM = 18,000	5/8 in	Open flute design (not anti-kickback); intended for high feed rate CNC machine use only. Do not use in portable routers.	\$134.14

46387	Amana Tool	3/4 in	2 1/2 in	Upcut	2	5 in	3/8 in	Warning Max RPM = 18,000	3/4 in	Open flute design (not anti-kickback); intended for high feed rate CNC machine use only. Do not use in portable routers.	\$170.85
46373	Amana Tool	1/16 in	1/4 in	Upcut	2	2 in	1/32 in	Recommended RPM: 20,000-21,000	1/8 in	Router collet reducer RB-102 (1/4 to 1/8) available for 1/8 shank bits.	\$35.85
46510	Amana Tool	1/16 in	1/32 in	Upcut	2	2 1/2 in	1/32 in	Recommended RPM: 20,000-21,000	1/4 in		\$45.26
46512	Amana Tool	1/8 in	1/16 in	Upcut	2	2 1/2 in	1/16 in	Recommended RPM: 20,000-21,000	1/4 in		\$51.26
46475	Amana Tool	1/4 in	3/8 in	Downcut	2	2 1/2 in	1/8 in	Recommended RPM: 20,000-21,000	1/4 in		\$40.13
46478	Amana Tool	3/8 in	1 1/4 in	Downcut	2	3 in	3/16 in	Recommended RPM: 20,000-21,000	3/8 in		\$55.99