

**Edge of Arlington Saw & Tool, Inc.**

124 South Collins  
 Arlington, TX 76010  
 Phone:817-461-7171 • Fax: 817-795-6651  
 Toll Free: 888-461-7171  
 Email: [info@eoasaw.com](mailto:info@eoasaw.com)  
 Website: [www.eoasaw.com](http://www.eoasaw.com)




**Amana Tool CNC Spiral Ball Nose Solid Carbide Router Bits**

Thank you for shopping with us! Amana Tool CNC Spiral Ball Nose Solid Carbide Router Bits used for carving, decorative doors, and sign manufacturing. Upcut/Downcut design leaves an excellent finish and expels chips quickly. **Excellent for**

**Cutting:**

- Soft/Hard Wood
- Aluminum/Non-Ferrous Materials
- MDF
- Soft/Hard Plastic
- Sign Foam

**Recommended RPM:** 20,000-21,000. Router collet reducer **RB-102** (1/4 to 1/8) available for 1/8 shank bits.



Item #	Manufacturer	Diameter	Cut Height, Length, or Width	Flute Geometry	Flute	Overall Length	Radius	RPM	Shank	Note	Price
--------	--------------	----------	------------------------------	----------------	-------	----------------	--------	-----	-------	------	-------

46375	Amana Tool	1/8 in	1/2 in	Upcut	2	2 in	1/16 in	Recommended RPM: 20,000-21,000	1/8 in	Router collet reducer RB-102 (1/4 to 1/8) available for 1/8 shank bits.	<b>\$36.71</b>
46369	Amana Tool	1/8 in	1/2 in	Upcut	2	2 in	1/16 in	Recommended RPM: 20,000-21,000	1/4 in		<b>\$40.13</b>
46374	Amana Tool	1/4 in	3/8 in	Upcut	4	2 1/2 in	1/8 in	Recommended RPM: 20,000-21,000	1/4 in		<b>\$40.13</b>
46376	Amana Tool	1/4 in	1 in	Upcut	2	2 1/2 in	1/8 in	Recommended RPM: 20,000-21,000	1/4 in		<b>\$45.26</b>
46476	Amana Tool	1/4 in	1 in	Downcut	2	2 1/2 in	1/8 in	Recommended RPM: 20,000-21,000	1/4 in		<b>\$45.26</b>
46378	Amana Tool	3/8 in	1 1/4 in	Upcut	2	3 in	3/16 in	Recommended RPM: 20,000-21,000	3/8 in		<b>\$55.99</b>
46380	Amana Tool	1/2 in	1 1/4 in	Upcut	2	3 in	1/4 in	Recommended RPM: 20,000-21,000	1/2 in		<b>\$85.43</b>
46477	Amana Tool	1/2 in	1 1/4 in	Downcut	2	3 in	1/4 in	Recommended RPM: 20,000-21,000	1/2 in		<b>\$85.43</b>
46384	Amana Tool	1/2 in	2 1/8 in	Upcut	6	4 in	1/4 in	Recommended RPM: 20,000-21,000	1/2 in		<b>\$110.21</b>
46386	Amana Tool	5/8 in	2 1/8 in	Upcut	2	4 in	5/16 in	Warning Max RPM = 18,000	5/8 in	Open flute design (not anti-kickback); intended for high feed rate CNC machine use only. Do not use in portable routers.	<b>\$134.14</b>

46387	Amana Tool	3/4 in	2 1/2 in	Upcut	2	5 in	3/8 in	Warning Max RPM = 18,000	3/4 in	Open flute design (not anti-kickback); intended for high feed rate CNC machine use only. Do not use in portable routers.	<b>\$170.85</b>
46373	Amana Tool	1/16 in	1/4 in	Upcut	2	2 in	1/32 in	Recommended RPM: 20,000-21,000	1/8 in	Router collet reducer RB-102 (1/4 to 1/8) available for 1/8 shank bits.	<b>\$35.85</b>
46510	Amana Tool	1/16 in	1/32 in	Upcut	2	2 1/2 in	1/32 in	Recommended RPM: 20,000-21,000	1/4 in		<b>\$45.26</b>
46512	Amana Tool	1/8 in	1/16 in	Upcut	2	2 1/2 in	1/16 in	Recommended RPM: 20,000-21,000	1/4 in		<b>\$51.26</b>
46475	Amana Tool	1/4 in	3/8 in	Downcut	2	2 1/2 in	1/8 in	Recommended RPM: 20,000-21,000	1/4 in		<b>\$40.13</b>
46478	Amana Tool	3/8 in	1 1/4 in	Downcut	2	3 in	3/16 in	Recommended RPM: 20,000-21,000	3/8 in		<b>\$55.99</b>