

Edge of Arlington Saw & Tool, Inc.

124 South Collins


Arlington, TX 76010

Phone: 817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171

Email: info@eoasaw.com

Website: www.eoasaw.com



Amana Tool Spektra™ Solid Carbide Spiral 'O' Flute CNC Bits for Plastics & Wood

Thank you for shopping with us!

To be used only on CNC machines and routers with automatic feeding. Produce super clean smooth cuts especially in acrylic materials (Plexiglas® Lucite®), other plastics, and wood. Bits are made according to strict tolerances from an exclusive carbide grade and polished to a mirror finish using Amana's unique process. Ideal for industrial applications and CNC machines. Benefits of Mirror-Finish: Razor sharp cutting edge, effortless chip removal, helps prevent chip re-welding. Excellent for cutting: Plastic/Acrylic, Acetal and Nylon, Acrylic Stone, Acrylonitrile Butadiene Styrene (ABS), Alupanel®, Corian®, Coroplast®**, Corrugated Plastics* such as Correx Boards and Polypropylene, Delrin, Foam Board, Gatorfoam®***, High Density Polyethylene (HDPE), High Impact Polystyrene (HIPS), High Impact Polystyrene (HIPS) for digital printing, King ColorCore® The Multi-Color Engravable Polymer Sheet, Laminate, Lucite®, Low Density Polyethylene (LDPE), Mechanical/Engineered Plastics, Plexiglas®, Poly (methyl methacrylate) (PMMA), Polycarbonate, Polyethylene Terephthalate Glycol-Modified (PETG / PET-G), PVC, Sintra PVC, Solid Surface, Teflon®, Thermoplastic Polyolefin (TPO), Ultra High Molecular Weight Polyethylene (UHMW), Wood. *Corrugated Plastics such as Correx refers to a wide range of extruded twinwall plastic-sheet products produced from high-impact Polypropylene resin with a similar make-up to corrugated fiberboard. They are used in a variety of applications including boat building, packaging, signage, outdoor advertising, and the production of pet cages. **A soft plastic cardboard made with super soft super flexible PVC. ***Gatorfoam® Foam Board a polystyrene foam board bonded between two layers of Luxcell® wood-fiber veneer. Our Spektra™ bits feature a nACo® nanocomposite coating with an extreme nanohardness and heat resistance. With a brilliant distinctively-tinted coloring, nACo® provides additional improvements in four critical aspects of router tooling: -nACo® coating is a micro-thin ceramic coating that enables the tool's cutting edge to retain crucial sharpness and lubricity. This provides longevity and produces cutting results of the highest quality. -Coating prevents high heat and oxidation, which is detrimental to cutting tool performance. -Multi-colored hues, while attractive, will dissipate upon use and yet coating will remain fully effective. -nACo® offers approximately 4,500 Vickers for impressive solid hardness on cutting areas of the tool, for an increase up to 2.5 times compared to uncoated bits. Note: Blue based color dissipates immediately upon use. nACo®



nanocomposite coating will not wear off.

Item #	Cut Height, Length, or Width	Flute Geometry	Flute	Overall Length	Shank	Price
51441-K	1/4 in	Upcut	1	2 in	1/4 in	\$46.65
51410-K	1/2 in	Upcut	1	2 in	1/8 in	\$37.31
51411-K	1/2 in	Upcut	1	2 in	1/4 in	\$44.81
51446-K	3/4 in	Upcut	1	2 1/2 in	1/4 in	\$49.50
51417-K	5/8 in	Upcut	1	2 in	1/4 in	\$48.56
51404-K	3/4 in	Upcut	1	2 in	1/4 in	\$46.65
51405-K	1 in	Upcut	1	2 1/2 in	1/4 in	\$54.19
51415-K	1/4 in	Upcut	1	2 in	1/8 in	\$34.58
51510-K	1/2 in	Downcut	1	2 in	1/8 in	\$37.31
51511-K	1/2 in	Downcut	1	2 in	1/4 in	\$44.81
51504-K	3/4 in	Downcut	1	2 in	1/4 in	\$54.19
51517-K	5/8 in	Downcut	1	2 in	1/4 in	\$48.56
51505-K	1 in	Downcut	1	2 1/2 in	1/4 in	\$54.19