

Edge of Arlington Saw & Tool, Inc.

124 South Collins

Arlington, TX 76010

Phone: 817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171

Email: info@eoasaw.com



Website: www.eoasaw.com



Amana A.G.E. Series Non-Ferrous for Thick Walled Aluminum Saw Blades: TCG Grind

Thank you for shopping with us!

Superior-Finish cuts in aluminum & non-ferrous metals. Designed specifically for cutting relatively thick walled (**greater than 1/4" thick**) aluminum. The special carbide formulation and blade geometry make these blades ideal for cutting aluminum and non-ferrous bars such as copper, brass, bronze, and lead. The negative hook angle, triple-chip grind, and thick steel plates combine to produce a superior finished cut. Use a coolant or blade wax and clamp down the workpiece when cutting non-ferrous metals. These blades can also be used to cut other "difficult" materials such as plastic, PVC tubing, and fiberglass. **Warning:** Never attempt to cut ferrous metals (steel, iron, etc) with these blades.



Good for cutting thick walled extrusions and profiles.

Item #	Manufacturer	Diameter	Bore	Hook Angle	Kerf	Note	Plate	RPM	Teeth	Price
--------	--------------	----------	------	------------	------	------	-------	-----	-------	-------

MD7-505	Amana Tool	7 1/4 in	5/8 in	-5 deg	0.110 in	5/8 arbor with diamond knockout. One of Amana's most popular blades.	0.087 in	10,100	50	\$71.74
MD8-485	Amana Tool	8 in	5/8 in	-6 deg	0.110 in	5/8 arbor with diamond knockout.	0.087 in	9,500	48	\$76.28
MD10-605	Amana Tool	10 in	5/8 in	-6 deg	0.126 in	One of Amana's most popular blades.	0.098 in	7,600	60	\$107.63
MD12-725	Amana Tool	12 in	1 in	-6 deg	0.126 in	--	0.098 in	6,200	72	\$134.59
MD14-845	Amana Tool	14 in	1 in	-6 deg	0.126 in	--	0.098 in	5,300	84	\$143.51
MD16-965	Amana Tool	16 in	1 in	-6 deg	0.150 in	--	0.126 in	4,700	96	\$224.29
MD16-965-30	Amana Tool	16 in	30mm	-6 deg	0.150 in	30mm bore accepts pinhole arrangements of 2/10/60, 2/7/42, 2/9/46	0.126 in	4,700	96	\$224.29