


Edge of Arlington Saw & Tool, Inc.

124 South Collins
Arlington, TX 76010
Phone: 817-461-7171 • Fax: 817-795-6651
Toll Free: 888-461-7171
Email: info@eoasaw.com
Website: www.eoasaw.com



Item #LB220T641, Amana Tool Carbide-Tipped Non-Melt Plastic 220mm Inch Dia x 64T M-TCG, -2 Deg, 30mm Bore \$146.36

Thank you for shopping with us!

Designed specifically for the Holz-Her® 220mm panel saws.

When cutting acrylics and plastics, "chip-welding" —a melting of the material—is a concern. But not with these Non-Melt blades. With a modified triple-chip grind and a 2° negative hook angle, they produce less heat than a standard blade, leaving a crisp and smooth edge in acrylic sheets, corrugated polypropylene, HDPE, Lexan®, Plexiglas®, polycarbonates, Teflon®, Coroplast®, and other plastics.

Warning: Before use, read saw blade safety guidelines in [Amana's catalog](#).

Excellent for Cutting: -Plastics -Acrylic Sheets -Coroplast®* -Corrugated Polypropylene -HDPE -High Impact Polystyrene (HIPS) -Low Density Polyethylene (LDPE) -Perspex® Cast Acrylic Sheet -Plastic Laminate Flooring -Plexiglas® -Polycarbonate (Lexan™) -Polyethylene Terephthalate Glycol-Modified (PETG / PET-G) -Teflon® -Thermoplastic Polyolefin (TPO)

*A soft plastic cardboard made with super soft super flexible PVC.

SPECIFICATIONS	
Manufacturer	Amana Tool
Diameter	220 mm
Bore	30 mm
Grind	TCG
Kerf	0.126 in
Pinholes	2/7/42
Plate	.079 in
Teeth	64
Hook Angle	2 deg negative hook