Edge of Arlington Saw & Tool, Inc.

124 South Collins Arlington, TX 76010

Phone:817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171 Email: <u>info@eoasaw.com</u> Website: www.eoasaw.com



Item #LM0206, Freud® Tools Reduced Kerf Multi-Ripping Saw Blades with Rakers

Thank you for shopping with us!

CALL FOR AVAILABILITY & PRICE

Freud is one of the few woodworking tool manufacturers in the world that produces its own Micrograin Carbide for each tool application.

Machines: Multi-ripping machines, molders

Features: Flat tooth


Material: Softwood & hardwood dried at max 15% humidity rate.

Not suitable for cutting poplar.


 $\label{thm:continuous} \mbox{Ideal For: Sawblade suitable for ripping where its thin body greatly reduces material} \\$

waste.

Ripping of softwood & hardwood: High




Tooth features - Caratteristiche del dente



Minimum and maximum RPM based on the blade

diameter.

Fascia del N. giri minimo e massimo consigliati in funzione del diametro della lama.



Maximum depth of cut based on the blade diameter. Altezza di taglio massima consentita in funzione del diametro della lama.

Solid wood Legno massiccio

To peruse more comprehensive information on Freud® Tools Industrial Circular Saws, click on the link to Industrial Saw Blades Catalog.

SPECIFICATIONS	
Diameter	300 mm
Arbor	30 mm
Kerf	2.8 mm
Pinholes	2CH 10x4 + 2/9/46.4 + 2/10/60
Plate	2.0 mm
Teeth	20+2
Manufacturer	Freud Tools
Note	CALL FOR AVAILABILITY & PRICE