

**Edge of Arlington Saw & Tool, Inc.**

124 South Collins

Arlington, TX 76010

Phone: 817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171

Email: [info@eoasaw.com](mailto:info@eoasaw.com)

Website: [www.eoasaw.com](http://www.eoasaw.com)

---



**Item #LU3A04, Freud® Saw Blades to Cut Bilaminated Panels: LU3A Series \$201.36**


Thank you for shopping with us!

Freud is one of the few manufacturers of woodworking tools in the world that produces its own Micrograin Carbide for each tool application.


ATB 38° tooth, with variable cutting angle according to the diameter. Silent Sawblade. Anti-vibration Design. Silver I.C.E. Coating prevents build-up on the blade surface and keeps the blade running cooler and cleaner.

Machine: Circular vertical saws, panel-sizing machines, portable machines  
 Features: ATB 38° tooth, with variable cutting angle according to the diameter  
 Material: Bilaminated panels with extremely fine coatings, veneered panels

Ideal For: To size bilaminated panels, with perfect finishing on both sides without the employment of the scoring sawblade.




Tooth features - Caratteristiche del dente




Minimum and maximum RPM based on the blade diameter.  
 Fascia dei N. giri minimo a massimo consigliati in funzione del diametro della lama.

Working with spindle under the working plane  
 Lavorazione con albero sotto il piano di lavoro



Working with spindle under the working plane  
 Lavorazione con albero sotto il piano di lavoro



	Ultimate Eccellente	High Ottimo	Good Buono
Wood composites Compositi di legno	●		
Laminates Laminati	●		

To peruse more comprehensive information on Freud® Tools Industrial Circular Saws, click on the link to [Industrial Saw Blades Catalog](#).

## SPECIFICATIONS

<b>Manufacturer</b>	Freud Tools
<b>Diameter</b>	350 mm
<b>Arbor</b>	30 mm
<b>Grind</b>	Hi-ATB
<b>Plate</b>	2.5 mm
<b>Kerf</b>	3.5 mm
<b>Teeth</b>	108
<b>Type</b>	Panel Sizing